



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/725,397

12/03/2003

Masao Kato

03500.017754.

5019

5514

7590

05/12/2009

FITZPATRICK CELLA HARPER & SCINTO
30 ROCKEFELLER PLAZA
NEW YORK, NY 10112

EXAMINER

KAU, STEVEN Y

ART UNIT

PAPER NUMBER

2625

MAIL DATE

DELIVERY MODE

05/12/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/725,397	Applicant(s) KATO ET AL.	
	Examiner STEVEN KAU	Art Unit 2625	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 February 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3,7,9,13,15 and 25-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3,7,9,13,15 and 25-29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 03 December 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. Applicant's amendment was received on 2/5/2009, and has been entered and made of record. Currently, claims 1, 3, 7, 9, 13, 15 and 25 to 29 are pending for further examination in this Action.

Response to Remark/Arguments

2. Applicant's arguments with respect to claims 1, 3, 7, 9, 13, 15 and 25 to 29 have been fully considered and the reply to the Remarks/Arguments is in the following:

- Applicant's arguments, "Claim Objection", second paragraph, page 10, with respect to claims 1, 7 and 13 have been fully considered and are persuasive. The claim objection under 37 CFR 1.75 has been withdrawn from the record.
- Applicant's arguments, "Rejection Under 35 U.S.C. § 112", third paragraph, page 10, with respect to claims 1, 3, 4, 6, 7, 9, 10, 12, 13, 15, 16, 18, and 25 to 27 have been fully considered and are persuasive. The rejection of claims 1, 3, 4, 6, 7, 9, 10, 12, 13, 15, 16, 18, and 25 to 27 under 35 U.S.C. § 112 Second Paragraph has been withdrawn.

Art Unit: 2625

- Applicant's arguments with respect to the rejection of claims 1, 3, 7, 9, 13, 15 and 25 to 29 under 35 U.S.C. 103(a) have been fully considered but are moot in view of the new ground(s) of rejection due to the amendments.

Claim Rejections - 35 USC § 101

3. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

4. Claims 7, 9 and 26 are rejected under 35 U.S.C. 101 as not falling within one of the four statutory categories of invention. Supreme Court precedent¹ and recent Federal Circuit decisions² indicate that a statutory "process" under 35 U.S.C. 101 must (1) be tied to another statutory category (such as a particular apparatus), or (2) transform underlying subject matter (such as an article or material) to a different state or thing. While the instant claims recite a series of steps or acts to be performed, the claim(s) neither transform underlying subject matter nor positively tie to another statutory category that accomplishes the claimed method steps, and therefore do not qualify as a statutory process. For example, Claim 7 is directed to an image processing method of executing an error diffusion process printing control method, steps recite, "a first

¹ *Diamond v. Diehr*, 450 U.S. 175, 184 (1981); *Parker v. Flook*, 437 U.S. 584, 588 n.9 (1978); *Gottschalk v. Benson*, 409 U.S. 63, 70 (1972); *Cochrane v. Deener*, 94 U.S. 780, 787-88 (1876).

² *In re Bilski*, 88 USPQ2d 1385 (Fed. Cir. 2008).

Art Unit: 2625

processing step of executing the error diffusion process by changing at least one of a quantization threshold value and a quantization diffusion coefficient which are used for the error diffusion process on the basis of information on one of the density components to be processed;

a second processing step of executing the error diffusion process by setting, into fixed values, the quantization threshold value and the quantization diffusion coefficient which are used for the error diffusion process, wherein the error diffusion

process by the second processing step requires a lighter processing load than the error diffusion process by the first processing step; and

an error diffusion processing control step of controlling to execute, by the first processing step, the error diffusion process to a first density component among the plurality of density components and by the second processing step, the error diffusion process to the a second density component among the plurality of density components, wherein the first and second density components have respective different component types and wherein one dot output based on the first density component has a lower density than one dot output based on the second density component.” The applicant has not provided explicit and deliberate definitions of which particular apparatus is used for executing an error diffusion process to a plurality of density components, i.e.

executing steps of “a first processing step of executing the error diffusion process by changing at least one of a quantization threshold value and a quantization diffusion coefficient”, “a second processing step of executing the error diffusion process by setting, into fixed values, the quantization threshold value and the quantization diffusion

Art Unit: 2625

coefficient”, and “an error diffusion processing control step of controlling to execute” etc., or to limit the steps of “a first processing step of executing the error diffusion process by changing at least one of a quantization threshold value and a quantization diffusion coefficient”, “a second processing step of executing the error diffusion process by setting, into fixed values, the quantization threshold value and the quantization diffusion coefficient”, and “an error diffusion processing control step of controlling to execute”, etc., for transforming underlying subject matter (such as an article or material) to a different state or thing. Thus, the method of compensating for pixel distortion while reproducing hologram data would be reasonably interpreted as a series of steps completely performed mentally, verbally or without a machine, i.e. a set of algorithm or a set of procedures without a machine for execution. Claim 9 is a dependent claim to claim 7, and is rejected under 35 U.S.C. 101 because of its dependency to claim 7. Claim 26 recites substantially the same features as cited in claim 7. Thus, claim 26 is rejected under 35 U.S.C. 101 for the same reason discussed above in the rejection of claim 7.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2625

6. Claims 1, 3, 7, 9, 13 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tajika et al (US 5,142,374) in view of Aoki et al (US 5,406,392)

Regarding claim 1.

Tajika discloses an image processing apparatus for executing an error diffusion process to a plurality of density components (**i.e. referring to Fig. 1, an image process system performs error diffusion process to color components, i.e. cyan, magenta, yellow and black, col 4, lines 31-59**), comprising: a processor and a memory (**i.e. referring to Fig. 9, an image processing system includes a CPU, or a microprocessor and memory, col 8, lines 18-38**);

a first processing unit (**i.e. referring to Fig. 1, a binary circuit 25**) that executes the error diffusion process (**i.e. a dither process for dark ink**) by changing at least one of a quantization threshold value and a quantization diffusion coefficient which are used for the error diffusion process on the basis of information on one of the density components to be processed (**i.e. error diffusion process is performed for multi-drop pixels with a plurality of threshold levels corresponding to different gray values, or density values, col 6, lines 18-36**);

a second processing unit (**i.e. referring to Fig. 1, a binary circuit 26**) that executes the error diffusion process (**i.e. a dither processing for light ink**) wherein the error diffusion process by the second processing unit requires a lighter processing load than the error diffusion process by the first processing unit (**i.e. Tajika discloses two different dithering processes, one for dark density ink and the other for light density ink; for dark density ink, error diffusion process is performed with a**

Art Unit: 2625

plurality of threshold values and thus it requires longer time to complete the process, col 6, lines 18-36); and

an error diffusion processing control unit (**i.e. CPU 90, or the microprocessor**) that controls to execute, by the first processing unit, the error diffusion process to a first density component among the plurality of density components (**i.e. a dither, or error diffusion process is performed for color pixels with a plurality of threshold levels corresponding to different density values, col 6, lines 18-36**), and by the second processing unit (**i.e. referring to Fig. 1, a binary circuit 26**), the error diffusion process to the a second density component among the plurality of density components wherein the first and second density components have respective different component types and wherein one dot output based on the first density component has a lower density than one dot output based on the second density component (**i.e. Tajika discloses a color density discrimination table separating light and dark inks based on ink density, and different dither processes are performed to light/dark ink in accordingly; thus, one dot of output based on the second process of Tajika has lower density of the dot processed in the second Tajika's dither process, Figs. 1-3, col 4, lines 30-59**).

Tajika does not disclose by setting, into fixed values, the quantization threshold value and the quantization diffusion coefficient which are used for the error diffusion process.

Aoki teaches by setting, into fixed values, the quantization threshold value and the quantization diffusion coefficient which are used for the error diffusion process (**i.e.**

Art Unit: 2625

when the binarization processing is not required to be changed in accordance with the color of data but can be carried out with fixed threshold values, col 13, line 55 to col 14, line 2).

Having an image processing apparatus of Tajika' 374 reference and then given the well-established teaching of Aoki' 392 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the image processing apparatus of Tajika' 374 reference to include setting, into fixed values, the quantization threshold value and the quantization diffusion coefficient which are used for the error diffusion process as taught by Aoki' 392 reference since doing so would simplify the hardware scale and computer programs of the image apparatus (col 13, lines 68 to col 14, lines 2, Aoki) and further setting fixed threshold values in the error diffusion process provided could easily be established for one another with predictable results.

Regarding claim 3, in accordance with claim 1.

Tajika discloses wherein said first processing unit is an error diffusion process for executing quantization on the basis of information of the other density components among said plurality of density components (**i.e. a process in which data corresponding to the thus generated dots of each density is converted so as to have a resolution which corresponds to the dots of each density, col 2, lines 3-12).**

Regarding claim 7.

Claim 7 is directed to an image process method claim which substantially corresponds to operation of the device in claim 1 with method steps directly corresponding to the function of device elements in claim 1. Thus, claim 7 is rejected as set forth above for claim 1.

Regarding claim 9, in accordance with claim 7.

Claim 9 is directed to an image process method claim which substantially corresponds to operation of the device in claim 3 with method steps directly corresponding to the function of device elements in claim 3. Thus, claim 9 is rejected as set forth above for claim 3.

Regarding claim 13.

Claim 13 is directed to a computer-readable storage medium claim which substantially corresponds to operation of the device in claim 1 with processing steps directly corresponding to the function of device elements in claim 1. Thus, claim 13 is rejected as set forth above for claim 1.

Regarding claim 15, in accordance with claim 13.

Claim 15 is directed to a computer-readable storage medium claim which substantially corresponds to operation of the device in claim 3 with processing steps directly corresponding to the function of device elements in claim 3. Thus, claim 15 is rejected as set forth above for claim 3.

Regarding claim 28, in accordance with claim 1.

Tajika discloses wherein the plurality of density components correspond to respective different colorants used in image formation (**i.e. density components**

Art Unit: 2625

corresponding to respect colorants, i.e. cyan, and magenta, etc., Fig. 1, col 4, lines 30-59), and wherein a first one of the colorants corresponding to the first density component and a second one of the colorants corresponding to the second density component have similar colors and wherein the first colorant has a lower density than the second colorant (**i.e. light ink component of cyan verse dark ink component of cyan as described in Fig. 3, col 5, lines 12-34**).

7. Claim 29 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tajika et al (US 5,142,374) in view of Aoki et al (US 5,406,392) as applied to claim 1 above, and further in view of Fujimori (US 6,328,404)

Regarding claim 29, in accordance with claim 1.

Tajika does not disclose wherein one dot outputted based on the first density component has a smaller size than one dot based on the second density component.

Fujimori teaches wherein one dot outputted based on the first density component has a smaller size than one dot based on the second density component (**i.e. The maximum density dot represents the dot having a maximum quantity of ink or a maximum area; that is, the dot size of light ink has smaller dot size than dark ink because lighter ink has less ink density than the dark ink, col 19, lines 13-34**).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Tajika and Aoki to include wherein one dot outputted based on the first density component has a smaller size than one dot based on the second density component taught by Fujimori since doing so would enable the

Art Unit: 2625

apparatus of Tajika to attains high quality printing by expressing densities in a wide range.

8. Claim 25, 26 and 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tajika et al (US 5,142,374) in view of Aoki et al (US 5,406,392) and Fujimori (US 6,328,404).

Regarding claim 25.

Tajika discloses an image processing apparatus for executing an error diffusion process to a plurality of density components (**i.e. referring to Fig. 1, an image process system performs error diffusion process to color components, i.e. cyan, magenta, yellow and black, col 4, lines 31-59**), comprising: a processor and a memory (**i.e. referring to Fig. 9, an image processing system includes a CPU, or a microprocessor and memory, col 8, lines 18-38**);

a first processing unit (**i.e. referring to Fig. 1, a binary circuit 25**) that executes the error diffusion process (**i.e. a dither process for dark ink**) by changing at least one of a quantization threshold value and a quantization diffusion coefficient which are used for the error diffusion process on the basis of information on one of the density components to be processed (**i.e. error diffusion process is performed for multi-drop pixels with a plurality of threshold levels corresponding to different gray values, or density values, col 6, lines 18-36**);

a second processing unit (**i.e. referring to Fig. 1, a binary circuit 26**) that executes the error diffusion process (**i.e. a dither processing for light ink**) wherein the

Art Unit: 2625

error diffusion process by the second processing unit requires a lighter processing load than the error diffusion process by the first processing unit (**i.e. Tajika discloses two different dithering processes, one for dark density ink and the other for light density ink; for dark density ink, error diffusion process is performed with a plurality of threshold values and thus it requires longer time to complete the process, col 6, lines 18-36**); and

an error diffusion processing control unit (**i.e. CPU 90, or the microprocessor**) that controls to execute, by the first processing unit, the error diffusion process to a first density component among the plurality of density components (**i.e. a dither, or error diffusion process is performed for color pixels with a plurality of threshold levels corresponding to different density values, col 6, lines 18-36**), and by the second processing unit (**i.e. referring to Fig. 1, a binary circuit 26**), the error diffusion process to the a second density component among the plurality of density components, wherein the first and second density components have respective different component types and wherein one dot output based on the first density component has a lower density than one dot output based on the second density component (**i.e. Tajika discloses a color density discrimination table separating light and dark inks based on ink density, and different dither processes are performed to light/dark ink in accordingly; thus, one dot of output based on the second process of Tajika has lower density of the dot processed in the second Tajika's dither process, Figs. 1-3, col 4, lines 30-59**).

Art Unit: 2625

Tajika does not disclose by setting, into fixed values, the quantization threshold value and the quantization diffusion coefficient which are used for the error diffusion process; and wherein the first and second density components have respective different component types and wherein one droplet output based on the first density component has a smaller size than one droplet output based on the second density component.

Aoki teaches by setting, into fixed values, the quantization threshold value and the quantization diffusion coefficient which are used for the error diffusion process (**i.e. when the binarization processing is not required to be changed in accordance with the color of data but can be carried out with fixed threshold values, col 13, line 55 to col 14, line 2**); and

Fujimori teaches wherein the first and second density components have respective different component types and wherein one droplet output based on the first density component has a smaller size than one droplet output based on the second density component (**i.e. The maximum density dot represents the dot having a maximum quantity of ink or a maximum size of droplet; that is, the droplet size of light ink has smaller droplet size than dark ink because lighter ink has less ink density than the dark ink, col 19, lines 13-34**).

Having an image processing apparatus of Tajika' 374 reference and then given the well-established teaching of Aoki' 392 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the image processing apparatus of Tajika' 374 reference to include setting, into fixed values, the quantization threshold value and the quantization diffusion coefficient which are used for

Art Unit: 2625

the error diffusion process as taught by Aoki' 392 reference since doing so would simplify the hardware scale and computer programs of the image apparatus (col 13, lines 68 to col 14, lines 2, Aoki); and then would have to modify the combination of Tajika's to include wherein the first and second density components have respective different component types and wherein one droplet output based on the first density component has a smaller size than one droplet output based on the second density component as taught by Fujimori, since doing so it would enhance the image apparatus of Tajika's to attains high quality printing by expressing densities in a wide range, and further having wide range of densities in the error diffusion process provided could easily be established for one another with predictable results.

Regarding claim 26.

Claim 26 is directed to an image process method claim which substantially corresponds to operation of the device in claim 15 with method steps directly corresponding to the function of device elements in claim 25. Thus, claim 26 is rejected as set forth above for claim 25.

Regarding claim 27.

Claim 27 is directed to a computer-readable storage medium claim which substantially corresponds to operation of the device in claim 25 with processing steps directly corresponding to the function of device elements in claim 25. Thus, claim 27 is rejected as set forth above for claim 25.

Conclusion

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steven Kau whose telephone number is 571-270-1120 and fax number is 571-270-2120. The examiner can normally be reached on Monday to Friday, from 8:30 am -5:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Moore can be reached on 571-272-7437. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2625

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Steven Kau/
Examiner, Art Unit 2625
May 8, 2009

/David K Moore/

Supervisory Patent Examiner, Art Unit 2625